Type of File	Process	Why it is done	How to stop it
Browser Cache files	Web Browsers	Faster display	Disable, cache size 0, link
			to /dev/null
Chat logs	iChat	Your convenience	Prefs, delete, ln /dev/null
Preference files	Most software	Your convenience	Delete, ln /tmp
Core files (crash	Any application	Debugging	limit coredumpsize 0,
logs)			delete old in crontab
Kernel panic	OSX	Debug	Turn off option, direct to
			filesystem w/o space
History file	Shells	History command	limit history, ln /dev/null
Autorecover file	MS Word, vi	User convenience, app	Preferences, manual
		crashes too often	deletion
Firewall logs	SW firewall	Forensics/security	Don't run, turn off / min
			logging, manual deletion
Sync logs	Palm, iPod	What files were	Turn off logging, manual
		copied or deleted	deletion
Sync database	Palm, iPod, any	Incremental backups	Don't use incremental –
	backup sw		always full backup/copy
Disk Util file	Norton	Reconstruct disk	?? – don't use
.DS_Store	Finder	GUI info	Don't use GUI, delete
Good cookies	Web browsers	Create sessions with a	Write-protect cookie file –
		state-less interface	makes them read-only
Bad cookies	Web browsers	Tracking	Don't accept, black-list
System log files (e.g.	OSX	System admin	Don't do anything logged
/var/tmp/console.log)			(sleep/wake is logged)
Log.rtf	SETI@home	Install/updates	delete

MacOS Files Left On Disk After Logout